

ENERGY[®]
Since 1969

Terrace Heater





Enjoying the cold days of the year in semi-open spaces such as terraces, balconies, pavilions, and roof gardens in uses such as restaurants, coffee shops, etc., gives a pleasant feeling to a person, which has made the terrace heater more and more popular. Radiation waves, such as sunlight, quickly create a sense of warmth after colliding with objects (human body, surfaces, etc.). Energy terrace heater with beautiful appearance and small dimensions creates a pleasant feeling of warmth, similar to standing in front of the sun in semi-open spaces.

Features



Fast and pleasant heating

- The feeling of heat like sunshine
- High response thermal speed



Easy to locate and install

- Low weight and dimensions compared to the heat capacity
- Installation on the wall or ceiling (not to occupy a useful surface)
- Durable body
- Decorative



Fuel consumption

- Natural gas - LPG
- Low consumption with high efficiency
- Low power consumption (≤ 0.5 mA)



High thermal efficiency




- Highest thermal efficiency with radiation
- Steady heat distribution






Wind protection

- Steady distribution of flame on the ceramic surface
- Wind protection up to 4 m/s
- Flame stability system
- Heat resistant ceramic

Application (Semi-open spaces)


-  Terrace
-  Restaurant/Coffee shops
-  Roof garden/Villa/Bungalow
-  Semi-open spaces

Installation


-  Ceiling mounted (with Chain)
-  Wall-mounted (with a wall stand)
-  Angled installation (0°-45°)

Distances in centimeters	Model	H1 Minimum distance from the ceiling		H2 Minimum distance from the floor	E	F	G	J
		Concrete / Cement Building Materials Ceiling	Wood / Glass Knauf / PVC ceiling					
	GR0030	50	70	180 - 200	300	300	300	300
	GR0055	50	70	200 - 250	400	400	400	400
	GR0095	50	70	250 - 350	500	500	500	500

 Wall installation



 Ceiling installation



Technical Specifications



Model	Thermal capacity kcal/h	Fuel Consumption		Electrical specifications			Dimensions			Weight kg
		NG	LPG				W	L	H	
		m³/h	Kg/h	PH	V	A	cm			
GR0030	10000	1.1	0.5	1	220	0.5	36	89	21	9
GR0055	18000	1.9	1	1	220	0.5	36	116	21	13.7
GR0095	25000	2.7	1.3	1	220	0.5	36	145	21	17

Office: No. 58, Nategh Noori St. (Zomorod), Golnabi St., Pasdaran Ave.,
Tehran, IRAN.

 **Sale:** (+9821) 61444 **Customer Services:** (+9821) 61445

 www.energy-ind.com

 [energy.ind](https://www.instagram.com/energy.ind)



TDS:021 /1